Pharmacology Biochemistry and Behavior, Vol. 63, No. 4, pp. 671–676, 1999
© 1999 Elsevier Science Inc.
Printed in the USA. All rights reserved
0091-3057/99/$–see front matter

CONTENTS
VOLUME 63, 1999

Articles

Tolerance to morphine-induced antinociception is decreased by chronic sucrose or polycose intake.
D'ANCI, K. E. 1

Chronic treatment with desipramine induces an estrous cycle-dependent anxiolytic-like action in the burying behavior, but not in the elevated plus-maze test.
FERNÁNDEZ-GUASTI, A., L. MARTÍNEZ-MOTA, E. ESTRADA-CAMARENA, C. M. CONTRERAS and C. LÓPEZ-RUBALCAVA 13

Pharmacologic and behavioral responses of inbred C57BL/6J and strain 129/SvJ mouse lines.
HOMANICS, G. E., J. J. QUINLAN and L. L. FIRESTONE 21

Discriminative stimulus (DS) properties of nicotine in the C57BL/6 mouse.
VARVEL, S. A., J. R. JAMES, S. BOWEN, J. A. ROSECRANS and L. D. KARAN 27

Diurnal changes in paraventricular hypothalamic α_1 and α_2-adrenoceptors and food intake in rats.
MORIEN, A., V. M. CASSONE and P. J. WELLMAN 33

Evaluation of hypothermia-induced analgesia and influence of opioid antagonists in leopard frogs (*Rana pipiens*).
SUCKOW, M. A., L. A. TERRIL, C. F. GRIGDESBY and P. A. MARCH 39

Inhibition of nitric oxide synthesis with L-NAME suppresses isolation-induced ultrasounds in rat pups.
CAMPBELL, J. O., J. A. FOGARTY and L. P. SPEAR 45

Dopamine antagonists in the orbital prefrontal cortex reduce prepulse inhibition of the acoustic startle reflex in the rat.
ZAVITSANOU, K., J. CRANNEY and R. RICHARDSON 55

Measuring emotional memory in the elevated T-maze using a training-to-criterion procedure.
CONDE, C. A., V. COSTA and C. TOMAZ 63

The behavior of spontaneously hypertensive and Wistar Kyoto rats under a pace fixed consecutive number schedule of reinforcement.
EVENDEN, J. and B. MEYERSON 71

Characterization of the effects of adenosine kinase inhibitors on acute thermal nociception in mice.
KOWALUK, E. A., K. L. KOHLHAAS, A. BANNON, K. GUNTHER, J. J. LYNCH, III and M. F. JARVIS 83

Increased Ro15-4513–induced seizures following multiple ethanol withdrawals.
MHATRE, M. C. and L. P. GONZALEZ 93

Effect of the dopaminergic neurotoxin MPTP on cocaine-induced locomotor sensitization.
ITZHAK, Y., J. L. MARTIN, M. D. BLACK and S. F. ALI 101

Two related forms of long-term habituation in the crab *Chasmagnathus* are differentially affected by scopolamine.
BERÓN DE ASTRADA, M. and H. MALDONADO 109

Effects of ephedrine enantiomers on conditioned taste aversion and kaolin intake in rats.
MCMAHON, L. R., S. L. JONES, T. R. GILLILAND, W. D. HALL and P. J. WELLMAN 119

Modulatory effects of ascorbate, alone or with haloperidol, on a lever-release conditioned avoidance response task.
GULLEY, J. M. and G. V. REBEC 125

Individual differences in novelty seeking on the playground maze predict amphetamine conditioned place preference.
KLEBAUR, J. E. and M. T. BARDO 131

Responses to oral Δ^9-tetrahydrocannabinol in frequent and infrequent marijuana users.
KIRK, J. M. and H. DE WIT 137

Different levels of fos immunoreactivity after repeated handling and injection stress in two inbred strains of mice.
RYABININ, A. E., Y.-M. WANG and D. A. FINN 143

Effects of suramin on hippocampal apyrase activity and inhibitory avoidance learning of rats.
BONAN, C. D., R. ROESLER, J. QUEVEDO, A. M. O. BATTASTINI, I. IZQUIERDO and J. J. F. SARKIS 153

The effects of microinjection of *d*-amphetamine into the N. accumbens during the late maintenance phase of an ethanol consumption bout.
SAMSON, H. H., A. CHAPPELL, C. SLAWECKI and C. HODGE 159

Effect of filter vent blocking on carbon monoxide exposure from selected lower tar cigarette brands.
SWEENEY, C. T., L. T. KOZLOWSKI and P. PARSA 167

The effects of intravenous naltrindole and naltrindole 5′-isothiocyanate on sufentanil-induced respiratory depression and antinocicpetion in rats.
VERBORGH, C. and T. F. MEERT 175

Behavioral effects of family-selective inhibitors of cyclic nucleotide phosphodiesterases.
O'DONNELL, J. M. and S. FRITH 185

Articles

Cocaine preexposure fails to sensitize the acquisition of cocaine-induced taste aversions.
RILEY, A. L. and G. R. SIMPSON 193

The dopamine D_3/D_2 receptor agonist 7-OH-DPAT induces cognitive impairment in the marmoset.
SMITH, A. G., J. C. NEILL and B. COSTALL 201

Effects of dopaminergic agents and of an NMDA receptor antagonist on motor coordination in *Lurcher* mutant mice.
THULLIER, F., R. LALONDE and F. LESTIENNE 213

Combined action of thioperamide plus scopolamine, diphenhydramine, or methysergide on memory in mice.
MOLINENGO, L., G. DI CARLO and P. GHI 221

Effects of haloperidol on communicative and aggressive behavior in male mice with different experiences of aggression.
KUDRYAVTSEVA, N. N., T. V. LIPINA and L. A. KORYAKINA 229

5-HT_2 receptor antagonism reduces hyperactivity induced by amphetamine, cocaine, and MK-801 but not D_1 agonist C-APB.
O'NEILL, M. F., C. L. HERON-MAXWELL and G. SHAW 237

Involvement of opioid μ_1-receptors in opioid-induced acceleration of striatal and limbic dopaminergic transmission.
PIEPPONEN, T. P., A. HONKANEN, T. KIVASTIK, A. ZHARKOVSKY, A. TURTIA, J. A. V. MIKKOLA and L. AHTEE 245

Transdermal nicotine: Single dose effects on mood, EEG, performance, and event-related potentials.
KNOTT, V., M. BOSMAN, C. MAHONEY, V. ILIVITSKY and K. QUIRT 253

Sensitization of stereotyped behavior to amphetamine is context and response dependent.
BATTISTI, J. J., C.-H. CHANG, N. J. URETSKY and L. J. WALLACE 263

Orphanin FQ and behavioral sensitization to cocaine.
NARAYANAN, S. and N. T. MAIDMENT 271

Serotonin$_{2A}$ receptor modulation of D_1 dopamine receptor-mediated grooming behavior.
SCALZITTI, J. M., L. S. CERVERA, C. SMITH and J. G. HENSLER 279

Although chemically related to amineptine, the antidepressant tianeptine is not a dopamine uptake inhibitor.
VAUGEOIS, J.-M., A. T. CORERA, A. DESLANDES and J. COSTENTIN 285

Electrophysiological response to neuropeptide Y (NPY): In alcohol-naive preferring and non-preferring rats.
EHLERS, C. L., C. SOMES, L. LUMENG AND T. K. LI 291

Reinforcement value of gustatory stimuli determined by progressive ratio performance.
REILLY, S. 301

New techniques in stereotaxic surgery and anesthesia in the mouse.
MESSIER, C., S. ÉMOND and K. ETHIER 313

Effects of antidepressants in rats trained to discriminate the beta-2 adrenergic agonist clenbuterol.
MAKHAY, M. M. and J. M. O'DONNELL 319

Baclofen alters ethanol-stimulated activity but not conditioned place preference or taste aversion in mice.
CHESTER, J. A. and C. L. CUNNINGHAM 325

Onset of the effects of the 5-HT_{1A} antagonist, WAY-100635, alone, and in combination with paroxetine, on olfactory bulbectomy and 8-OH-DPAT–induced changes in the rat.
CRYAN, J. F., C. McGRATH, B. E. LEONARD and T. R. NORMAN 333

Evaluation of intraarticular opioid analgesia for the relief of articular pain in the domestic fowl.
GENTLE, M. J., P. M. HOCKING, R. BERNARD and L. N. DUNN 339

CONTENTS VOLUME 63 NUMBER 3 1999

Articles

A nitric oxide synthesis inhibitor administered into the medial preoptic area increases seminal emissions in an ex copula reflex test.
MOSES, J. and E. M. HULL 345

Intravenous cocaine precipitates panic-like flight responses and lasting hyperdefensiveness in laboratory rats.
HEBERT, M. A., D. C. BLANCHARD and R. J. BLANCHARD 349

Paradoxical effects of serotonin and opioids in pemoline-induced self-injurious behavior.
TURNER, C., J. PANKSEPP, M. BEKKEDAL, C. BORKOWSKI and J. BURGDORF 361

Pharmacological evaluation of ricinine, a central nervous system stimulant isolated from *Ricinus communis*.
FERRAZ, A. C., M. E. M. ANGELUCCI, M. L. DA COSTA, I. R. BATISTA, B. H. DE OLIVEIRA and C. DA CUNHA 367

Reduction of fat and protein intakes but not carbohydrate intake following acute and chronic fluoxetine in female rats.
HEISLER, L. K., R. B. KANAREK and B. HOMOLESKI 377

The effects of atypical antipsychotics and phencyclidine (PCP) on rotorod performance.
STEINPREIS, R. E., K. A. ANDERS, E. M. BRANDA and C. K. KRUSCHEL 387

Involvement of dopamine receptors on locomotor stimulation and sensitization elicited by the interaction of ethanol and mazindol in mice.
GEVAERD, M. S. and R. N. TAKAHASHI 395

Pyridostigmine bromide alters locomotion and thigmotaxis of rats: Gender effects.
HOY, J. B., B. A. CODY, J. L. KARLIX, C. J. SCHMIDT, I. R. TEBBETT, S. TOFFOLLO, F. VAN HAAREN and D. WIELBO 401

Inhibition by ginsenosides Rb_1 and Rg_1 of cocaine-induced hyperactivity, conditioned place preference, and postsynaptic dopamine receptor supersensitivity in mice.
KIM, H.-S., K.-S. KIM and K.-W. OH 407

A further study on asymmetric cross-sensitization between MK-801 and phencyclidine-induced ambulatory activity.
XU, X. and E. F. DOMINO 413

Behavioral sensitization to apomorphine in adult rats exposed to cocaine during the preweaning period: A preliminary study.
BUSIDAN, Y. and D. L. DOW-EDWARDS 417

Lead-induced decrements in waiting behavior: Involvement of D_2-like dopamine receptors.
BROCKEL, B. J. and D. A. CORY-SLECHTA 423

Feeding and reward interactions from chronic paroxetine treatment.
KONKLE, A. T. M. and C. BIELAJEW 435

Reduced progesterone metabolites are not critical for plus-maze performance of lactating female rats.
KELLOGG, C. K. and K. A. BARRETT 441

Cocaine-induced oscillation is conditionable.
KUCINSKI, B. J., S. M. ANTELMAN, A. R. CAGGIULA, H. FOWLER, S. GERSHON and D. J. EDWARDS 449

Ibogaine enhances the expression of locomotor sensitization in rats chronically treated with cocaine.
SZUMLINSKI, K. K., I. M. MAISONNEUVE and S. D. GLICK 457

The effects of phenytoin on instrumental appetitive-to-aversive transfer in rats.
BANKS, M. K., N. L. MOHR, J. BESHEER, J. E. STEINMETZ and P. E. GARRAGHTY 465

Genetic determinants of severity of acute withdrawal from diazepam in mice: commonality with ethanol and pentobarbital.
METTEN, P. and J. C. CRABBE 473

Nalorphine's ability to substitute for morphine in a drug discrimination procedure is a function of training dose.
GRABUS, S. D., S. T. SMURTHWAITE and A. L. RILEY 481

Review of evidence for a novel model of cocaine-induced cardiovascular toxicity.
KNUEPFER, M. M. and P. J. MUELLER 489

Oral versus transdermal seliegiline: Antidepressant-like activity in rats.
GORDON, M. N., C. D. MULLER, K. A. SHERMAN, D. G. MORGAN, A. J. AZZARO and L. WECKER 501

The acute effects of monoamine reuptake inhibitors on the stimulus effects of hallucinogens
WINTER, J. C., S. HELSLEY, D. FIORELLA and R. A. RABIN 507

Opioid receptor blockade promotes weight loss and improves the display of sexual behaviors in obese Zucker female rats.
MARÍN-BIVENS, C. L. and D. H. OLSTER 515

CONTENTS VOLUME 63 NUMBER 4 1999

Articles

Effects of melatonin on neophobic responses in different strains of mice.
KOPP, C., E. VOGEL, M.-C. RETTORI, P. DELAGRANGE, B. GUARDIOLA-LEMAÎTRE and R. MISSLIN 521

Dissociation of (–) baclofen-induced effects on the tail withdrawal and hindlimb flexor reflexes of chronic spinal rats.
ADVOKAT, C., M. DUKE and R. ZERINGUE 527

Effects of perospirone, a novel 5-HT_2 and D_2 receptor antagonist, on Fos protein expression in the rat forebrain.
ISHIBASHI, T., R. TAGASHIRA, M. NAKAMURA, H. NOGUCHI and Y. OHNO 535

Context-independent sensitization to the locomotor-activating effects of cocaine.
PARTRIDGE, B. and S. SCHENK 543

Effects of arginine-vasopressin fragment 4-9 on rodent cholinergic systems.
TANABE, S., Y. SHISHIDO, Y. NAKAYAMA, M. FURUSHIRO, S. HASHIMOTO, T. TERASAKI, G. TSUJIMOTO and T. YOKOKURA 549

Contribution of glutamatergic systems in locus coeruleus to nucleus paragigantocellularis stimulation-evoked behavior.
LIU, N., I.-K. HO and R. W. ROCKHOLD 555

Effects of calcium channel blockers on behaviors induced by the *N*-methyl-D-aspartate receptor antagonist, dizocilpine, in rats.
SUKHOTINA, I. A., A. DRAVOLINA, I. O. MEDVEDEV and A. YU. BESPALOV 569

Extracellular glutamate in the dorsal horn of the lumbar spinal cord in the freely moving rat during hindlimb stepping.
WALWYN, W. M., J. TA-HUANG, L. ACKERSON, N. T. MAIDMENT and V. R. EDGERTON 581

Caffeine and stroop interference.
KENEMANS,. J. L., J. S. T. WIELEMAN, M. ZEEGERS and M. N. VERBATEN 589

An investigation of serotonergic involvement in the regulation of ACTH and corticosterone in the olfactory bulbectomized rat.
MARCILHAC, A., M. FAUDON, G. ANGLADE, F. HERY and P. SIAUD 599

Lack of tolerance to ethanol-induced motor impairment on accelerod performance in rats.
UZBAY, I. T. and C. J. WALLIS 607

Morphine tolerance and dependence in mice with history of repeated exposures to NMDA receptor channel blockers.
DRAVOLINA, O. A., I. V. BELOZERTSEVA, I. A. SUKHOTINA . and A. Y. BESPALOV 613

Anticonvulsant activity and plasma level of 2,3-benzodiazepin-4-ones (CFMs) in genetically epilepsy-prone rats.
DE SARRO, G., M. RIZZO, C. SPAGNOLO, R. GITTO, A. DE SARRO, G. SCOTTO, M. ZAPPALA and A. CHIMIRRI 621

Endotoxin- and interleukin-1–induced hypophagia are not affected by adrenergic, dopaminergic, histaminergic, or muscarinic antagonists.
SWIERGIEL, A. H., T. BURUNDA, B. PATTERSON and A. J. DUNN 629

The effects of neurosteroids on rat behavior and ^{3}H-muscimol binding in the brain.
CZŁONKOWSKA, A. I., H. SIENKIEWICZ-JAROSZ, M. SIEMIĄTKOWSKI, A. BIDZIŃSKI and A. PŁAŹNIK 639

Alnespirone (S 20499), an agonist of 5-HT$_{1A}$ receptors, and imipramine have similar activity in a chronic mild stress model of depression.
MUÑOZ, C. and M. PAPP 647

Scopolamine inhibition of female sexual behavior in rhesus monkeys (*Macaca mulatta*).
LYNCH, C. S., T. E. RUPPEL, R. N. DOMINGUE and G. L. PONTHIER 655

Facilitation of memory performance by a novel muscarinic agonist in young and old rats.
RUSKE, A. C. and K. G. WHITE 663

Index to volume 63 669